## AMENDED APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 9 1971
Returned to applicant for correction JUL 2 9 1971
Corrected application filed. SEP 2 8 1971
Map filed SEP 2 8 1971
The applicant B. H. Robison c/o Chilton Engineering of 421 Court, Elko , County of
State of Nevada 89801 , hereby make application for permission to appropriate the pub
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpo
tion; if a copartnership or association, give names of members.)
The source of the proposed appropriation is Meadow Creek  Name of stream, lake or other source.
2. The amount of water applied for is 2.0 C.f.s. second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet
3. The water to be used for <u>irrigation</u> Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
(a) Irrigation (state number of acres to be irrigated). 1,000 acres
(b) Stockwater (state number and kinds of animals to be watered)
(c) Other use (describe fully under "No. 11. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point: NE 4NE 4 Sec. 15, T.19N.,
R.66E., M.D.M., at a point from which the NE corner of Sec. 11,  Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
T.19N., R.66E., M.D.M. bears N. 46° 50' E. 8270.00 feet.
6. Place of use Portion of Sec. 11, 12, 13 & 14, T.19N., R.66E., M.D.B.&M.  Describe by legal subdivision, if on unsurveyed land it should be so stated.
•
7. Use will begin about January 1st and end about December 31st , of each year.
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit pla
and specifications of your diversion or storage works.) Construct diversion in stream
channel and ditches to place of use  State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

10.	
	Estimated time required to construct works. 3 years
11.	Estimated time required to complete the application to beneficial use. 3 years
12.	Remarks Please send copies of all notices and correspondence to
	Applicant: P. O. Box 778-Ely, Nevada 89301. The filing of this
	Application is not to be considered a waiver of any vested rights.
	the applicant now has to the subject waters.
Арр	licant B. H. Robison
	By s/ Mark Chilton
Con	upared jw/ bk Elko, Nevada 89801
	DENIAL OF STATE ENGINEER deny
	This is to certify that I have examined the foregoing application, and do hereby <b>Example</b> the same, subject to the
follc	wing limitations and conditions:
<b></b>	This Application is hereby denied on the grounds that the
ap	olicant and protestant have not responded to a request for
	ditional information and therefore the granting of said application
	ald not be in the public interest
	dential vacated 3-1/1000 by Owlar isolal
	h Title Colored
•	by 7th Dist. Court
	by Th Dist. Court
Γhe	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
Γhe	
The not	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The  Actu	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not s	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not a	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed.  cubic feet per second.  cubic feet per second.  for commencement of work shall be filed before
The not process and process are process and process are process and process ar	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not in Actual Processing App	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not a Actuary Actuary App Process Map	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not in Actual Process App Process Map Com	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not in Actual Process App Process Map Process Map Process Company Process Culture Process	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed